

Page 1/11


### Safety data sheet

according to UK REACH

Printing date 08.08.2024

Version number 1.1

Revision: 05.08.2024





Printing date 08.08.2024

#### Page 2/11

### Safety data sheet

according to UK REACH Version number 1.1

Revision: 05.08.2024

#### Trade name: B775 BASECOAT GREEN-ROSE EXTREME

	(Contd. of page 1)
2.2 Label el	
	ccording to Regulation (EC) No 1272/2008
	is classified and labelled according to the GB CLP regulation.
Hazard pict	ograms
	∧
JHL /	
GHS02 GI	HS07
<b>C</b> :	
Signal word	i warning
Hazard-dete	ermining components of labelling:
n-butyl aceta	ate
Hazard stat	ements
H226 Flamm	nable liquid and vapour.
H315 Cause	s skin irritation.
H336 May ca	ause drowsiness or dizziness.
Precautiona	ary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources
	No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P303+P361-	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skir
DAOE	with water [or shower].
P405 P501	Store locked up.
F301	Dispose of contents/container in accordance with local/regional/national
2.3 Other ha	international regulations.
	PBT and vPvB assessment
<b>PBT:</b> Not ap	
vPvB: Not ap	

#### • **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>		
CAS: 123-86-4	n-butyl acetate	>50- <i>≤</i> 100%
EINECS: 204-658-1	🚸 Flam. Liq. 3, H226; 🚯 STOT SE 3, H336	
Reg.nr.: 01-2119485493-29		
	)(	Contd. on page 3)



#### Page 3/11

## Safety data sheet

according to UK REACH

Printing date 08.08.2024

Version number 1.1

Revision: 05.08.2024

#### Trade name: B775 BASECOAT GREEN-ROSE EXTREME

	(0	Contd. of page 2)
CAS: 1330-20-7	xylene	>10- <i>≤</i> 25%
EINECS: 215-535-7	🚸 Flam. Liq. 3, H226; 🚸 Acute Tox. 4, H312; Acute Tox. 4,	
Reg.nr.: 01-2119486136-34	H332; Skin Irrit. 2, H315	
05-2116602925-45		
01-2119488216-32		
CAS: 64742-95-6	Solvent naphtha (petroleum), light arom.	>2.5- <i>≤</i> 10%
EINECS: 265-199-0	Acute Tox. 4, H332; STOT SE 3, H335	
Reg.nr.: 01-2119455851-35		
05-2116598517-27		
CAS: 108-65-6	2-methoxy-1-methylethyl acetate	<i>≤</i> 2.5%
EINECS: 203-603-9	🚸 Flam. Lig. 3, H226	
Reg.nr.: 01-2119475791-29		
05-2116413226-56		
CAS: 100-41-4	ethylbenzene	<i>≤</i> 2.5%
EINECS: 202-849-4	🚸 Flam. Lig. 2, H225; 🚸 STOT RE 2, H373; Asp. Tox. 1,	
Reg.nr.: 01-2119489370-35	H304; () Acute Tox. 4, H332	
	H304; (1) Acute Tox. 4, H332	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 4)

GB



#### Page 4/11

## Safety data sheet

according to UK REACH

Printing date 08.08.2024

Version number 1.1

Revision: 05.08.2024

(Contd. of page 3)

#### Trade name: B775 BASECOAT GREEN-ROSE EXTREME

#### · 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **6.3** Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

#### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 5)



#### Page 5/11

# Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1.1

Revision: 05.08.2024

#### Trade name: B775 BASECOAT GREEN-ROSE EXTREME

Inare	(Contd. of pag dients with limit values that require monitoring at the workplace:
-	6-4 n-butyl acetate
WEL	Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm
1330-	20-7 xylene
WEL	Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV
108-6	5-6 2-methoxy-1-methylethyl acetate
WEL	Short-term value: 548 mg/m³, 100 ppm Long-term value: 274 mg/m³, 50 ppm Sk
100-4	1-4 ethylbenzene
WEL	Short-term value: 552 mg/m³, 125 ppm Long-term value: 441 mg/m³, 100 ppm Sk
Inare	dients with biological limit values:
-	20-7 xylene
Bivig	V 650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid
8.2 E. Perso Gene Keep Imme Wash Avoia Avoia Resp In cas expos	tional information: The lists valid during the making were used as basis. apposure controls bral protective equipment: ral protective and hygienic measures: away from foodstuffs, beverages and feed. diately remove all soiled and contaminated clothing hands before breaks and at the end of work. contact with the skin. contact with the eyes and skin. iratory protection: se of brief exposure or low pollution use respiratory filter device. In case of intensive or long sure use self-contained respiratory protective device. Protective gloves
V	



#### Page 6/11

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1.1

Revision: 05.08.2024

#### Trade name: B775 BASECOAT GREEN-ROSE EXTREME

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

#### SECTION 9: Physical and chemical properties

General Information		
Appearance: Form:	Fluid	
Colour:	According to product description	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/freezing point: Initial boiling point and boiling ra	Undetermined. Inge: 124 °C	
Flash point:	27 °C	
Flammability (solid, gas):	Flammable.	
Auto-ignition temperature:	370 °C	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	

Page 7/11

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1.1

Revision: 05.08.2024

#### Trade name: B775 BASECOAT GREEN-ROSE EXTREME

	(Contd. of page 6)
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	1.1 Vol %
Upper:	7.5 Vol %
· Vapour pressure at 20 °C:	10.7 hPa
· Density at 20 °C:	0.965 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	73.1 %
VÕC (EC)	705.5 g/l
Solids content:	26.9 %
· 9.2 Other information	No further relevant information available.

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)

GB –

Page 8/11

### Safety data sheet

according to UK REACH

Printing date 08.08.2024

Version number 1.1

Revision: 05.08.2024

#### Trade name: B775 BASECOAT GREEN-ROSE EXTREME

(Contd. of page 7)

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

123-86-4 n-butyl acetate

Oral	LD50	13,100 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)

Inhalative LC50/4 h >21 mg/l (rat)

· Primary irritant effect:

· Skin corrosion/irritation

- Causes skin irritation.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 9)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1.1

Revision: 05.08.2024

#### Trade name: B775 BASECOAT GREEN-ROSE EXTREME

· 12.6 Other adverse effects No further relevant information available.

(Contd. of page 8)

#### SECTION 13: Disposal considerations

13.1 Waste treatment methods
 Recommendation
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1263	
14.2 UN proper shipping name ADR IMDG, IATA	1263 PAINT PAINT	
14.3 Transport hazard class(es) ADR, IMDG, IATA	NOT APPLICABLE	
Class Label	3 Flammable liquids. 3	
14.4 Packing group ADR, IMDG, IATA	<i>III</i>	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user EMS Number: Stowage Category	Warning: Flammable liquids. F-E,S-E A	
14.7 Transport in bulk according to Annex Marpol and the IBC Code	Il of Not applicable.	

Page 10/11

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1.1

Revision: 05.08.2024

#### Trade name: B775 BASECOAT GREEN-ROSE EXTREME

	(Contd. of page
· Transport/Additional information:	
· ADR	
<ul> <li>Limited quantities (LQ)</li> </ul>	5L
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 m
· Transport category	3
· Tunnel restriction code	D/E
·IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (ÉQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 n
· UN "Model Regulation":	UN 1263 PAINT, 3, III

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

<ul> <li>Regulated</li> </ul>	explosives	precursors
-------------------------------	------------	------------

7664-38-2 phosphoric acid

#### · Regulated poisons

None of the ingredients is listed.

#### · Reportable explosives precursors

None of the ingredients is listed.

#### · Reportable poisons

None of the ingredients is listed.

#### · Directive 2012/18/EU

- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)

30%

Page 11/11

# Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1.1

Revision: 05.08.2024

#### Trade name: B775 BASECOAT GREEN-ROSE EXTREME

(Contd. of page 10)

This information	is based on our present knowledge. However, this shall not constitute a guarantee
	duct features and shall not establish a legally valid contractual relationship.
Relevant phras	
	nmable liquid and vapour.
	e liquid and vapour.
	tal if swallowed and enters airways.
	contact with skin.
H315 Causes sk	
H332 Harmful if	inhaled.
H335 May cause	e respiratory irritation.
H336 May cause	e drowsiness or dizziness.
H373 May cause	e damage to organs through prolonged or repeated exposure.
Department iss	uing SDS: Product safety department
Contact: N/A	
Abbreviations a	and acronyms:
	rnational concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concer
	nsport of Dangerous Goods by Rail)
ICAU: International (	Civil Aviation Organisation au transport international des marchandises dangereuses par route (European Agreement Concerning
	e of Dangerous Goods by Road)
	Maritime Code for Dangerous Goods
	Air Transport Association
	nonised System of Classification and Labelling of Chemicals
	Inventory of Existing Commercial Chemical Substances
	List of Notified Chemical Substances tracts Service (division of the American Chemical Society)
	ic Compounds (USA, EU)
LC50: Lethal concen	
LD50: Lethal dose, 5	
DRT Dereistant Rin	accumulative and Toxic
vPvB: very Persisten	
vPvB: very Persisten Flam. Liq. 2: Flamma	
vPvB: very Persister Flam. Liq. 2: Flamma Flam. Liq. 3: Flamma	able liquids – Category 3
vPvB: very Persister Flam. Liq. 2: Flamma Flam. Liq. 3: Flamma Acute Tox. 4: Acute	
vPvB: very Persisten Flam. Liq. 2: Flamma Flam. Liq. 3: Flamma Acute Tox. 4: Acute Skin Irrit. 2: Skin corn STOT SE 3: Specific	able liquids – Category 3 toxicity – Category 4 rosion/irritation – Category 2 c target organ toxicity (single exposure) – Category 3
vPvB: very Persisten Flam. Liq. 2: Flamma Flam. Liq. 3: Flamma Acute Tox. 4: Acute Skin Irrit. 2: Skin corn STOT SE 3: Specific STOT RE 2: Specific	able liquids – Category 3 toxicity – Category 4 rosion/irritation – Category 2